

March 10, 2016

Tom Moe
USS Corporation
P.O. Box 417
Mountain Iron, MN 55768


RE: Project: NPDES-TB Wk1
Pace Project No.: 1261857

Dear Tom Moe:

Enclosed are the analytical results for sample(s) received by the laboratory on March 02, 2016. The results relate only to the samples included in this report. Results reported herein conform to the most current TNI standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Melisa M Woods
melisa.woods@pacelabs.com
Project Manager

Enclosures

cc: Terri Sabetti, NTS



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

CERTIFICATIONS

Project: NPDES-TB Wk1

Pace Project No.: 1261857

Virginia Minnesota Certification ID's

315 Chestnut Street, Virginia, MN 55792

Alaska Certification #MN01084

Arizona Department of Health Certification #AZ0785

Minnesota Dept of Health Certification #: 027-137-445

North Dakota Certification: # R-203

Wisconsin DNR Certification # : 998027470

WA Department of Ecology Lab ID# C1007

Nevada DNR #MN010842015-1

Oklahoma Department of Environmental Quality

Duluth Minnesota Certification ID's

4730 Oneota St., Duluth, MN 55807

Minnesota Dept of Health Certification #: 027-137-152

Wisconsin DNR Certification # : 999446800

North Dakota Certification #: R-105

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

SAMPLE SUMMARY

Project: NPDES-TB Wk1

Pace Project No.: 1261857

Lab ID	Sample ID	Matrix	Date Collected	Date Received
1261857001	SD 001 (Seep 020)	Water	03/02/16 11:30	03/02/16 14:20

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

SAMPLE ANALYTE COUNT

Project: NPDES-TB Wk1

Pace Project No.: 1261857

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
1261857001	SD 001 (Seep 020)	EPA 1664 TPH	BT1	1	PASI-DUL
		USGS I-3765	BEM	1	PASI-V
		EPA 300.0	DMB	1	PASI-V

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: NPDES-TB Wk1

Pace Project No.: 1261857

Sample: SD 001 (Seep 020)		Lab ID: 1261857001		Collected: 03/02/16 11:30		Received: 03/02/16 14:20		Matrix: Water	
Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
1664 SGT-HEM, TPH									
Analytical Method: EPA 1664 TPH									
Total Petroleum Hydrocarbons	ND	mg/L	3.0	0.90	1		03/07/16 16:40		
USGS I-3765 TSS									
Analytical Method: USGS I-3765									
Total Suspended Solids	2.4	mg/L	1.0	1.0	1		03/07/16 09:36		
300.0 IC Anions 28 Days									
Analytical Method: EPA 300.0									
Sulfate	1000	mg/L	20.0	0.89	10		03/04/16 09:59	14808-79-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: NPDES-TB Wk1

Pace Project No.: 1261857

QC Batch: DUL/5309

Analysis Method: EPA 1664 TPH

QC Batch Method: EPA 1664 TPH

Analysis Description: 1664 SGT-HEM, TPH

Associated Lab Samples: 1261857001

METHOD BLANK: 294390

Matrix: Water

Associated Lab Samples: 1261857001

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Total Petroleum Hydrocarbons	mg/L	ND	3.0	0.90	03/07/16 15:30	

LABORATORY CONTROL SAMPLE: 294391

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Total Petroleum Hydrocarbons	mg/L	20	14.5	72	64-132	

MATRIX SPIKE SAMPLE: 294392

Parameter	Units	1261956001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Total Petroleum Hydrocarbons	mg/L	<0.92	20	14.7	72	64-132	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: NPDES-TB Wk1

Pace Project No.: 1261857

QC Batch: WET/22820

Analysis Method: USGS I-3765

QC Batch Method: USGS I-3765

Analysis Description: USGS I-3765 Total Suspended Solids

Associated Lab Samples: 1261857001

METHOD BLANK: 294230

Matrix: Water

Associated Lab Samples: 1261857001

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Total Suspended Solids	mg/L	ND	1.0	1.0	03/07/16 09:35	

LABORATORY CONTROL SAMPLE: 294231

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Total Suspended Solids	mg/L	239	210	88	80-120	

SAMPLE DUPLICATE: 294232

Parameter	Units	1261911002 Result	Dup Result	RPD	Max RPD	Qualifiers
Total Suspended Solids	mg/L	196	200	2	10	

SAMPLE DUPLICATE: 294233

Parameter	Units	1261922002 Result	Dup Result	RPD	Max RPD	Qualifiers
Total Suspended Solids	mg/L	252	272	8	10	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: NPDES-TB Wk1

Pace Project No.: 1261857

QC Batch: WETA/15890

Analysis Method: EPA 300.0

QC Batch Method: EPA 300.0

Analysis Description: 300.0 IC Anions

Associated Lab Samples: 1261857001

METHOD BLANK: 293803

Matrix: Water

Associated Lab Samples: 1261857001

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Sulfate	mg/L	ND	2.0	0.089	03/04/16 08:37	

LABORATORY CONTROL SAMPLE: 293804

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Sulfate	mg/L	50	47.8	96	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 293805

293806

Parameter	Units	1261917001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Sulfate	mg/L	10.4	100	100	103	104	93	93	90-110	1	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALIFIERS

Project: NPDES-TB Wk1

Pace Project No.: 1261857

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

LABORATORIES

PASI-DUL Pace Analytical Services - Duluth

PASI-V Pace Analytical Services - Virginia

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: NPDES-TB Wk1

Pace Project No.: 1261857

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
1261857001	SD 001 (Seep 020)	EPA 1664 TPH	DUL/5309		
1261857001	SD 001 (Seep 020)	USGS I-3765	WET/22820		
1261857001	SD 001 (Seep 020)	EPA 300.0	WETA/15890		


REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

tely.

MO# : 1261857

PRINT Name of SAMPLER:		TEMP In C
SIGNATURE of SAMPLER:		
Received on Ice (Y/N) Custody Sealed Cooler (Y/N) Samples Intact (Y/N)		3-2-16

	Document Name:	Document Revised: 23Feb2015
	Sample Condition Upon Receipt Form	Page 1 of 1
	Document No.: F-VM-C-001-Rev.09	Issuing Authority: Pace Virginia, Minnesota Quality Office

Sample Condition Upon Receipt

Client Name:

Project #:

WO#: 1261857

Courier: ☐ Fed Ex ☐ UPS ☐ USPS ☒ Client
☐ Commercial ☐ Pace ☐ Other:

Tracking Number:

Custody Seal on Cooler/Box Present? ☐ Yes ☒ No

Seals Intact? ☐ Yes ☒ No

Optional: Proj. Due Date: Proj. Name:

Packing Material: ☐ Bubble Wrap ☒ Bubble Bags ☐ None ☐ Other:

Temp Blank? ☒ Yes ☐ No

Thermometer Used: ☒ 140792808

Type of Ice: ☒ Wet ☐ Blue ☐ None

☒ Samples on ice, cooling process has begun

Cooler Temp Read °C: 0.0

Cooler Temp Corrected °C: 0.3

Biological Tissue Frozen? ☐ Yes ☐ No ☒ NA

Temp should be above freezing to 6°C

Correction Factor: 0.3

Date and Initials of Person Examining Contents: 3-2-16 cl

Comments:

Chain of Custody Present?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name and Signature on COC?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	5.
Short Hold Time Analysis (<72 hr)?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	6.
Rush Turn Around Time Requested?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	7.
Sufficient Volume?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	8.
Correct Containers Used?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	9.
-Pace Containers Used?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Containers Intact?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	10.
Filtered Volume Received for Dissolved Tests?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11. Note if sediment is visible in the dissolved containers.
Sample Labels Match COC?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes Date/Time/ID/Analysis Matrix: WT		
All containers needing acid/base preservation will be checked and documented in the pH logbook.	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	See pH log for results and additional preservation documentation
Headspace in Methyl Mercury Container	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	13.
Headspace in VOA Vials (>6mm)?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	14.
Trip Blank Present?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	15.
Trip Blank Custody Seals Present?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased):		

CLIENT NOTIFICATION/RESOLUTION

Field Data Required? ☐ Yes ☐ No

Person Contacted:

Date/Time:

Comments/Resolution:

FECAL WAIVER ON FILE Y N

TEMPERATURE WAIVER ON FILE Y N

Project Manager Review:

Date:

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e. out of hold, incorrect preservative, out of temp, incorrect containers)